2003 0373

RECORDERS OFFICE
JOHES COUNTY 10 WA

03 JAN 27 AH 10: 57

RECORDER 6.00 pd

PREPARED BY

STEPHEN MICHAEL BRAIN, BRAIN ENGINEERING, INC., 777 10TH STREET, MARION, IOWA 52302 PH. (319) 373-1318

## UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

SURVEY CORNER CERTIFICATE	
LAND SURVEY MONUMENTS SITUATED IN RANGE4_ WEST OF THE 5TH P.M., _	SECTION <u>36</u> , TOWNSHIP <u>85</u> NORTH <u>JONES</u> COUNTY, IOWA.
NO SCALE N    Y   1/4   CORNER	NO SCALE N
SAOS	
PREVIOUSLY RECORDED IN BOOK PAGE  MONUMENT DESCRIPTION AND HOW ESTABLISHED  DUG AND FOUND NOTHING, RESET ½" REBAR  W/YELLOW CAP #9647 FROM RECORDED BEARINGS & DISTANCES FROM DILLON'S SURVEY TO SOUTH	PREVIOUSLY RECORDED IN BOOK PAGE  MONUMENT DESCRIPTION AND HOW ESTABLISHED
or under my direct personal supervision and that I am a duly licensed Land Surveyor under the laws of the State of Iowa.  STEPHEN  MICHAEL  BRAIN  9647  Stephen Michael Brain, L.S.  My License Renewal Date Is December 31, 2004  License Number 9647  Pages or sheets covered by this seal: 1/1	<ul> <li>☑ A.THERE IS NO CERTIFICATE FOR THE CORNER ON FILE WITH THE RECORDER OF THE COUNTY IN WHICH THE CORNER IS LOCATED</li> <li>☑ B.THE SURVEYOR IN RESPONSIBLE CHARGE OF THE LAND SURVEYING ACCEPTS A CORNER POSITION WHICH DIFFERS FROM THAT SHOWN IN THE PUBLIC RECORDS OF THE COUNTY IN WHICH THE CORNER IS LOCATED.</li> <li>☑ C.THE CORNER MONUMENT IS REPLACED OR MODIFIED IN ANY WAY.</li> <li>☑ D.THE REFERENCE TIES REFERRED TO IN AN EXISTING</li> </ul>
CORNERS TO BE INDEXED  CORNER SECTION TOWNSHIP RANGE	PUBLIC RECORD ARE NOT CORRECT.  BRAIN ENGINEERING, INC.
W 1/4 CORNER 36 T85N R4W	777 10TH STREET  MARION, IOWA 52302  (319) 373-1318  21323-17

K

3229
FILED
RECORDERS OFFICE
JONES COUNTY LOWA

96 APR 22 AM 10: 39

BOOK 398 PAGE 44 LINDA J. BENDIXEN RECORDER 11.000L

RUST ENVIRONMENT & INFRASTRUCTURE 501 SYCAMORE STREET WATERLOO, IOWA 50703 1-319-232-653

UNITED STATES PUBLIC SECTION CORNER CERTIFICATION

AND LAND CORNER SURVEY

SECTION 36 T-85N R-4W

MADE FOR

IOWA DEPARTMENT OF TRANSPORTATION FOR THE PURPOSE OF RIGHT OF WAY DESCRIPTIONS ON PRIMARY ROAD No. U.S. 151 MADE BY

MICHAEL R. FAGLE

THRU


JONES COUNTY, IOWA

APRIL 1994

R.L.S. No. 8505 NHS-151-3(84)--19-57

AUGUST 1995

ALL DISTANCES WERE CAREFULLY MEASURED AND MAY, NOT AGREE WITH ROAD SURVEY STATIONING





I hereby certify that this land surveying document was prepared by me or under my direct personal supervision and that I am a duly Registered Land Surveyor under the laws of the State of Iowa.

Signature: Michael R. Fagle
Nome: MICHAEL R. FAGLE, L.S.

4-18-1996

8505

My registration renewal date is December 31, 1996

COUNCY CELLILIPATION AND LAND CORNER SURVEY SECTION T-85N 36 R-4W ② N 1/4 COR SEC 1-84-4W SE COR SEC 36-85-4W (3) S 1/4 COR SEC 36-85-4W N ¼ COR 1-84-4W "X" NAILS COR. POST "X" NAILS OLD 6 E 1/4 COR SEC 36-85-4W NW COR SEC 1-84-4W (5) SW COR SEC 36-85-4W "X" NAILS TOP "X" NAILS "X" NAILS WOOD POST PIN IS 0.33' S. OF WOOD POST NAILS POPO SEC COR TO SEC COR = 34.98' FND %" # REBAR / CAP No. 6581 8" ABOVE GROUND SET 1" GAS PIPE WITH 1/2" FIRON PIN INSIDE WITH CAP #8505 7 W 1/4 COR SEC 36-85-4W NE COR SEC 36-85-4W 8 9) N 1/4 COR SEC 36-85-4W "X" NAILS COR. POST "X" NAILS WOOD POST "X" NAILS COR. POST "X" NAILS COR. POST "X" NAILS BRACE POST FOUND IRON PIN 0.66' DEEP NW COR SEC 36-85-4W (A) \$ 1/4 COR SEC 36-85-4W

ALL TIES ARE ENGLISH UNLESS OTHERWISE NOTED

ALL DISTANCES ARE METRIC

STA: 178+17.330

"X" NAILS WOOD POSTS

SET 1"# GAS PIPE WITH ½"# IRON PIN INSIDE WITH CAP #8505. USING DIST. FROM OLD R.R. STRIP MAP AND ON € E-W FENCE

SHEET 2 OF 2