Jones County
Marie Krutzfield, Recorder
Fee Book 2010 1336

05/24/2010 @0203PM ZSC SEC COR CERT Book: Page: Total Fees: \$9.00

Pages: 1

PREPARED BY:

SCOTT SURVEY, INC.

P.O. BOX 315

CENTER POINT IOWA 52213

319-540-5263

CORNER CERTIFICATE LAND SURVEY U.S. PUBLIC

FOR LAND SURVEY MONUMENTS SITUATED IN SECTION 1 .
THE FIFTH PRINCIPAL MERIDIAN,


TOWNSHIP 83 NORTH, RANGE 4 WEST, OF COUNTY, IOWA

REASON FOR PREPARING CERTIFICATE:

☑ A) THERE IS NO CERTIFICATE FOR THE CORNER ON FILE WITH THE RECORDER (W 1/4 CORNER).

CORNER TIES DIFFER FROM PREVIOUSLY RECORDED CERTIFICATE (N 1/4 CORNER). **⊠** B)

RECOVERY TIE DRAWING



<u>W 1/4 CORNER</u> SECTION 1, T83N, R4W FD. 1/2" X 10" SQ. ROD (8" DEEP)

LOCATION

0.72' NW'LY OF "X" NAILS LARGE WOOD CORNER POST 28.06 .1/2" REBAR W/RED CAP NO. 11954 S 1/4 CORNER SECTION 36 "Y" NAIIS


N 1/4 CORNER SECTION 1, T83N, R4W SET 1/2" REBAR W/RED CAP NO. 13842 (18" DEEP)

MONUMENT DESCRIPTION AND REMARKS:

FOUND MONUMENT IN LINE WITH FENCE WEST AND AT CENTER OF ROAD NORTH-SOUTH. FITS CLOSELY WITH PRORATED DISTANCES FROM GLO NOTES ON FRACTIONAL SECTION. PROBED 24" BELOW PIN - NO STONE. (SEE PLAT OF SURVEY PLATE 2010-42 FOR SECTION BREAKDOWN DISTANCES.)

MONUMENT DESCRIPTION AND REMARKS:

SET MONUMENT BASED ON TIES PREVIOUSLY RECORDED IN BOOK 2003, PAGE 1069 IN THE OFFICE OF THE RECORDER, JONES COUNTY, IOWA. (SCM LAYING ON SIDE NEXT TO FENCE CORNER — COMPLETELY INTACT.)



I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed Land Surveyor under the laws of the State of lowa.

STEPHÉN M_SCOTT, L.S.

/2010 July ,2010 Iowa Lic. No. 13842

My license renewal date is December 31, 2010.

GOVERNMENT CORNER
O 1/2" TIE PIN SET - CENTERI INF

U.S. PUBLIC LAND SURVEY CORNER CERTIFICATE

SECTION 1, T83N, R4W

W 1/4 CORNER

N 1/4 CORNER

PROJECT NO. 1015501

2003 LI 1069RECORDERS OFFICE JONES COUNTY 10WA 03 MAR 13 PM 1:13 MARIE KRUTZFIELD RECORDER 6.00 Pd PREPARED BY HALL & HALL ENGINEERS, INC. 209 29TH STREET N.E. CEDAR RAPIDS, 10WA 52402 (319) 362-9548 LAND SURVEY MONUMENTS SITUATED IN SECTION_ 1 __, TOWNSHIP_ <u>8</u>3 WEST, OF THE FIFTH PRINCIPAL MERIDIAN, NORTH. JONES COUNTY IOWA, RECOVERY TIE DRAWING MONUMENT DESCRIPTION AND REMARKS: SELOR. SW.14-SE.14 SECTION 36, TEM, RAW 1/2" REGAR W/RED LIS-CAP # 11954 H.E. Corner- NW4-NEW Dec. 1-83-4 REASON FOR PREPARING CERTIFICATE B. C OR D PREVIOUS BOOK_ Set 's" ----- PAGE Rebar W/ Red L.S. CAP # 11954 FLUSH W/SURFACE SET 1/2" REFAR W RED L.S. CAT # 3' NORTH OF FENCE WEST 11954 CONNEX BEDEX AND IP' WEST OF FENCE NORTH. 14.031 18.451 70.50 -# X-NAILS IN X-NAILS IN TOP OF BIACE POST TOP OF CORNER POST 5.4 Cor. Found N. 14 Corner END Section Sec. 36-84-4 1-83-4 S.C.M. POST REASON FOR PREPARING CERTIFICATE: A B, C OR D 3.02 PREMOUS BOOK _____ .. PAGE _ FOUND S.C.M. AT CORNER OF 28.06 END POST FENCES EAST AND SOUTH 12" 1/2" PERAR W/ RED L.S. GAP 0.72' ABOVE GROUND 9.58' 年11954 Brace Post REASON FOR PREPARING CERTIFICATE: A, B, C OR D PREVIOUS BOOK __ , PAGE CORNER MOVY I hereby earlify that this land surreying desument was propored and the related surrely work tase performed by me or under my direct personal supervision and that I am a duly licensed Land Surreyor under the laws of the State of lows. REASON FOR PREPARING CERTIFICATE: THERE IS NO CERTIFICATE FOR THE CORNER ON FILE WITH THE RECORDER OF THE COUNTY IN WHICH THE CORNER IS LOCATED. CORNER POSITION DIFFERS FROM THAT SHOWN IN THE PUBLIC RECORDS OF THE COUNTY IN WHICH THE CORNER IS LOCATED. Date: benist J. Johnson, M. 11834 by Heanse renewal data is December 31, 2004 3-4-03 Pages or sheets covered by this seet: (Entire submission unless specified hera) THE CORNER MONUMENT HAS BEEN REPLACED OR MODIFIED. THE REFERENCE TIES REFERRED TO IN AN EXISTING PUBLIC RECORD ARE INCORRECT OR MISSING Sett U.S. PUBLIC LAND SURVEY CORNER CERTIFICATE HALL AND HALL ENGINEERS, INC. 209 29TH STREET NE. CEDAR RAPIDS, IOWA 52402 (319) 362-9548 County JONES Morteu ₩Acm [NO 6125 15/4/00 NONE County

2002 3025
FILED
RECORDERS OFFICE

JONES COUNTY 10WA											
83401	d-081602	02 AUG 16 P	PH 12: 51								
		ARIE KRUT RECORC	RDER 6.00pd								
PREPARED BY HALL & HALL ENGINEERS, INC. 209 29TH STREET N.E. CEDAR RAPIDS, IOWA 52402 (319) 362-9548											
RANGE 4 WEST OF THE FIETH POWER 1. TOWNSHIP 83 NORTH,											
	RECOVERY TIE DRAWING		MONUMENT DESCRIPTION AND REMARKS:								
	1		NE. 4 Corner-NW4-NEW Sec. 1-83-4								
\$ 5.	1 h " Pro. n		REASON FOR PREPARING CERTIFICATE A B. C. OR D.								
	1 5" REBAR 10AP #11954	1	Set 3" Rebar W/ Red L.S. CAP								
4		 	-1- # 11954 FLUSH W/SURFACE								
* 1	4,031	COMMEN OF	AND 18' WEST OF FENCE NORTH								
125	18.451										
	-										
		AILS IN -									
1	P 45 7 P 65 7										
Found S.C.M.	END Sec.	1 Cor. 36-84-4	· N.14 Corner Section 1-83-4								
1.0	·		REASON FOR PREPARING CERTIFICATE: A B, C OR D PREVIOUS BOOK, PAGE								
•	28.00	\\ \frac{1}{1}	# 11954. FOUND S.C.M. IN								
0.72	END POST	COMMER	CARNOR POST OF FENCES								
	7.58'	' 1	GROUND. AND EAST 12" ABOVE								
	Brace Post	1-									
		<u> </u>									
1]-									
1											
		[REASON FOR PREPARING CERTIFICATE: A. B. C OR D								
N			PREVIOUS BOOK, PAGE								
Ŷ											
	•	COMER	R MOCK								
			·								
		1									
	t hereby eartify that this tend surveying the related survey work less performed personal supervision and that I am a d	decument was prop by me or under m why fleeneed Lond 3	reported and hy direct REASON FOR PREPARING CHRTIFICATE:								
SO LEDO	under the lows of the State of lowe.	Dale:	A) THERE IS NO CERTIFICATE FOR THE CORNER ON FILE WITH THE RECORDER OF THE COUNTY								
DAMEL J.	Bentel J. Johnson, L.S. (1994 My Hoonee renewel May to December 3:	. 2602	8) CORNER POSITION DIFFERS FROM THAT SHOWN IN THE PUBLIC RECORDS OF THE COUNTY IN								
No.	Pages or shoots severed by this seel: (Entire submission unless specified here	_	WHICH THE CORNER IS LOCATED. C) THE CORNER MONUMENT HAS BEEN REPLACED OR MODIFIED.								
		1051	D) THE REFERENCE TIES REFERRED TO IN AN EXISTIN PUBLIC RECORD ARE INCORRECT OR MISSING.								
SELT U.S. P	UBLIC LAND SURVEY COR	NER CERTIE									
MRE: JONES County (Mortey) 209 29TH STREET NE. CEDAR RAPIOS, 10WA 52402 (319) 362-9548											
S MACHA B CALL!											
, In/	JOIN IN IS	15214	4100 NONE County 3 3 6125								

2002 3018
FILED
RECORDERS OFFICE
JONES COUNTY !OWA

B4436W-081662

	- 1 0 = 001k	502	02 AU 6	616 PMI	2: 41	•					
			MARIE	KRUTZF	IELI	ond .					
RECORDER 6.00 pd PREPARED BY HALL & HALL ENGINEERS, INC. 209 29TH STREET N.E. CEDAR RAPIDS, IOWA 52402 (319) 362-9548 LAND SURVEY MONIMENTS STREET N.E. CEDAR RAPIDS, IOWA 52402 (319) 362-9548											
		AMENIO SIIIAI	II IN CE	'TI/NAI ~/_				19) 362-9548			
		OF THE FIFTH	PRINCIPA	L MERIDIA	N, _	JONE		NORTH, UNTY IOWA.			
1	RECOVERY THE I				MONU	MENT DE	SCRIPTION AND	REMARKS:			
1		W	" REBAR	S. 4 C.	rne	r	Section 3	6-84-4			
*	Brace Fas	+ 5 = 119	24	RE/	ASON (FOR PREPA	RING CERTIFICATE	A B. C OR D			
•	77. 86'		∖ -3	(d) -	764	5"	REBAR WI	RED L.S.			
	70.06	К. н			ar Enc	# 1195		South of			
Ī	\sim	IN Stee	COME			E 5	OUTH .	08' EAST OF			
Ţ.	N.4 Corne	r FENC	E Post	<u> </u>							
+	Sec. 1-83										
1	Found S	ж с. М,									
Ŧ											
	1										
1	•			RE/	ASON	FOR PREPA	RING CERTIFICATE:	A. B, C OR D			
I				PRI	EWOUS	BOOK	PAGE				
P											
			CONNE	mot:		· · · · · · · · · · · · · · · · · · ·					
			•								
					·						
1											
•				<u> </u>							
N				, RE	ASON EVIOUS	FOR PREPA B BOOK	MING CERTIFICATE:	A, B, C OR D			
•				 		······································					
'											
	•		COMME	R MOEX							
								•			
		· · · · · · · · · · · · · · · · · · ·									
	i hereby earlify the the related survey t	I this land surveying de- work was performed by and that I am a duly	no or under	repered and my direct	RE/	SON FOR 1	PREPARING CERTI	rcate:			
CAMP A	under the lowe of	the State of lowe.	Bele:	aniseles	A)	THERE IS P	O CERTIFICATE FO	R THE CORNER ON THE COUNTY			
owner 1	Datiel J. Johnson,	A flower		16-02	ł	ORNER P	THE CORNER IS LO DISTION DIFFERS FI	CATED. IOM THAT SHOWN			
11054	My Hoones renewed	daje is Becomber 31,	2002		0,	WHICH THE	BLIC RECORDS OF CORNER IS LOCAL	EO.			
TO WA	(Entire submission	verad by this soci; unless specified here)	1281		1	OR MODIFIE THE REFER	ENCE TIES REFERR	ED TO IN AN EXISTING			
						PUBLIC RE	CORD ARE INCORRI	ECT OR MISSING.			
MICT U.S. PU	BLIC LAND	SURVEY CORNE	R CERT	FICATE	H			NGINEERS, INC.			
Wester 200	IES Co	untu (M	lorley)	떦		I STREET N.E. APIDS, IOWA 5240: 2-9548	1			
	aem B	Ê		4/00	SCAL	<i></i>	15 No	F Nº / / / / / / / / / / / / / / / / / /			
	ין וייטר	18	18 31	7700		14074	County 3	19 6125			

2003 1062 FILEU RECORDERS OFFICE JONES COUNTY FOWA 03 MAR 13 PM 1:06 MARIE KRUTZFIELD RECORDER 6.001 PREPARED BY HALL & HALL ENGINEERS, INC. 209 29TH STREET N.E. CEDAR RAPIDS, IOWA 52402 (319) 362-9548 LAND SURVEY MONUMENTS SITUATED IN SECTION 36 , TOWNSHIP 84 RANGE 4 WEST, OF THE FIFTH PRINCIPAL MERIDIAN. JONES COUNTY IOWA. MONUMENT DESCRIPTION AND REMARKS: RECOVERY TIE DRAWING Set 3" REBAR 4 Corner Jection 36-84-4 /W/CAP #11954 REASON FOR PREPARING CERTIFICATE: A B. C OR D Brace Past _____, PAGE ___ PREVIOUS BOOK Set 5" REBAR W/ RED L.S. CAP #11954. 15' South of 17.86 28.06' AND DO EAST OF R.H. FENCE EAST ĬΝ FENCE South STEEL FENCE Post N. & Corner Sec. 1-83-4 Found S.C.M. REASON FOR PREPARING CERTIFICATE: A, B, C OR D PREVIOUS BOOK . . PAGE . REASON FOR PREPARING CERTIFICATE: A, B, C OR D PREVIOUS BOOK I hereby earlify that this lond surreying decument was prepared and the related surrely work was performed by me or under my direct personal supervision and that I am a duty scenaed Land Surveyor under the lows of the State of less. REASON FOR PREPARING CERTIFICATE: THERE IS NO CERTIFICATE FOR THE CORNER ON FILE WITH THE RECORDER OF THE COUNTY IN WHICH THE CORNER IS LOCATED. CORNER POSITION DIFFERS FROM THAT SHOWN IN THE PUBLIC RECORDS OF THE COUNTY IN WHICH THE CORNER IS LOCATED. 3-4-03 Denief J. Jahnsen, t.S. 1984 hip Recense renewed detay to December 31, 2004 Pages or shoots assested by this secti (Entire submission unless specified here) THE CORNER MONUMENT HAS BEEN REPLACED OR MODIFIED. THE REFERENCE TIES REFERRED TO IN AN EXISTING PUBLIC RECORD ARE INCORRECT OR MISSING HALL AND HALL ENGINEERS, INC. U.S. PUBLIC LAND SURVEY CORNER CERTIFICATE 209 29TH STREET NE. CEDAR RAPIDS, 10WA 52402 (319) 362~9548 Morley County JONES

514/00

NONE

County

H

Acm

6125