2001 0114
FILED
RECORDERS OFFICE
JONES COUNTY 10WA

01 JAN 11 PM 3: 32

MARIE KRUTZFIELD RECORDER 6.00 pd

CLARENCE J. WALTON, LS # 11310, WALTON LAND SURVEYING, P.C., 2213 LAUREN DR. SW, CEDAR RAPIDS, IOWA 52404, (319) 363-4271 UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE LAND SURVEY MONUMENTS SITUATED IN SECTION 21, TOWNSHIP 83 NORTH, RANGE 1 WEST OF THE 5TH PRINCIPAL MERIDIAN, JONES COUNTY, IOWA **NE CORNER** E 1/4 CORNER FOUND SPIKE IN CORNER POST SIDEWALK T AVENUE NORTH 2ND STEEL POST FROM FENCE CORNER TO WEST 4TH STEEL POST FROM FENCE CORNER TO WEST CENTERLINE OPERATING NUT OF FIRE HYDRANT FOUND SPIKE IN CORNER POST SIDEWALK 22.70 _60.10i FOUND 5/8" REBAR N CONCRETE FOUNDATION CORNER CENTERLINE SANITARY MANHOLE CONCRETE FOUNDATION CORNER BUILDING BUILDING FOUND X'D NAILS IN UTILITY POLE MONUMENT DESCRIPTION AND REMARKS MONUMENT DESCRIPTION AND REMARKS FOUND 5/8" BORE REBAR 8" DEEP PER TIES FROM JONES COUNTY ENGINEERING DEPARTMENT RECORDS. SET PK SPIKE IN ASPHALT PER TIES FROM JONES COUNTY ENGINEERING DEPARTMENT RECORDS. NOTE: ALL MEASUREMENTS IN FEET AND DECIMALS THEREOF. CLAP CLAP I hereby certify that this land surveying document and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed Land Surveyor under the laws of the State of lowa.

Signed

Date CORNERS TO BE INDEXED CORNERS SECTION CLARENCE ΝÆ 21 83N E 1/4 21 WALTON Clarence J. Walton, L.S.
My License Renewal Date is December 31, 2001
License Number 11310
Pages or sheets covered by this seal: 01/10/01 11310 AWO1 PROJECT Book: 0060-3B UNITED STATES
PUBLIC LAND WALTON LAND SURVEYING, P.C. CJW 1 2213 LAUREN DRIVE SW <u>×</u> SURVEY CORNER CEDAR RAPIDS, IOWA 52404 Scale: 11/9/00 NONE CERTIFICATE (319) 363-4271


RECORDERS OFFICE
JONES COUNTY IOWA

96 FEB 29 AM II: 05 BOOK 394 PAGE 41 LINDA J. BENDIXEN RECORDER 6.00 Pd

Donald E. Puffett * P.O. Box 9009 * Cedar Rapids, Iowa 52409 * 319/395-7805

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

Land Survey Monuments situated in Section <u>21 & 22</u> , Township <u>83 Nacth</u> , Range <u>1 West</u> of the Fifth Principal Meridian, <u>Janes</u> County, Iowa, previously recorded in Book <u>291 Page 260</u> in County Recorder's Office.
Monument Description and Remarks: Reset PK Na: Flush to Surface of New
Asphalt overlay, Previous PK Na: 1 Recorded in Book 291, Page 26
APPARENTLY Was Removed and OVERlayED During an Asphalt
Resurfacing PROJECT. Ties Were found to be accurate to
Within . 05 feet, Sanitary Manhole as Shown in Previously
Recorded ties was found to be Unreliable.



Corner


E'/4

I hereby certify that the survey work was completed and this land surveying document was prepared by me or under my direct personal supervision and that I am a duly registered land surveyor under the laws of the state of lowar

Signature:

Donald E. Puffetr, L.S.
Date: ZE/96 Reg. No. 9500
My Registration renewal date is December 31, 1997.

Howard R. Green Compaconsulting Engineers	ny
---	----



Twp

83 N

Section

Range

1W

TO THE COMMENTERS OF

LAND CORNER SURVEY CERTIFICATE

ONE QUARTER CORNER COMMON TO SECTIONS 21 and 22, Township 83 North, Range Etal \$ 1 West, Jones County, Iowa.

fire hydrant NO SCALE SET PK NAIL 40.18 61,75 X NAILS IN wood MANHOLE POWER POLE bldg 0 /2 , 20.

Re-established from recorded descriptions.

Reason for filing: Initial filing.

CERTIFICATION

I hereby certify that this plat and survey was made by me or under my direct personal supervision and that I am a duly Registered Land Surveyor under the laws of the State of Iowa.

Harold E. Dillon Reg# 6581 8/3/90